

- ❖ Candidates are not allowed to carry any papers, notes, books, calculators, pagers or mobile phone or electronic devices etc., in the examination hall. Any candidate found using or in possession of such unauthorised material or indulging in copying or adopting unfair means, is liable to be summarily disqualified.
- ❖ Blank papers for rough work will be provided at the examination hall to the candidates.
- ❖ Request for change of centre/venue will not be entertained under any circumstances.
- ❖ No Travelling allowance will be reimbursed for appearing in the Written Test.

MODEL QUESTION (Each questions carry 1 mark)

Sl.No.																
1	<p>Chlorine demand of water is equal to:</p> <table border="1"> <tr> <td>A</td> <td>Applied chlorine</td> <td></td> </tr> <tr> <td>B</td> <td>Residual chlorine</td> <td></td> </tr> <tr> <td>C</td> <td>Sum of applied and residual chlorine</td> <td></td> </tr> <tr> <td>D</td> <td>Difference of applied and residual chlorine</td> <td>D</td> </tr> <tr> <td>E</td> <td>None of the above</td> <td></td> </tr> </table>	A	Applied chlorine		B	Residual chlorine		C	Sum of applied and residual chlorine		D	Difference of applied and residual chlorine	D	E	None of the above	
A	Applied chlorine															
B	Residual chlorine															
C	Sum of applied and residual chlorine															
D	Difference of applied and residual chlorine	D														
E	None of the above															
2	<p>The minimum dissolved oxygen which should always be present in water in order to save the aquatic life is:</p> <table border="1"> <tr> <td>A</td> <td>1 ppm</td> <td>A</td> </tr> <tr> <td>B</td> <td>4 ppm</td> <td></td> </tr> <tr> <td>C</td> <td>6 ppm</td> <td></td> </tr> <tr> <td>D</td> <td>9 ppm</td> <td></td> </tr> <tr> <td>E</td> <td>None of the above</td> <td></td> </tr> </table>	A	1 ppm	A	B	4 ppm		C	6 ppm		D	9 ppm		E	None of the above	
A	1 ppm	A														
B	4 ppm															
C	6 ppm															
D	9 ppm															
E	None of the above															
3	<p>Electrostatic preceptor are used as pollution control device for the separation of :</p> <table border="1"> <tr> <td>A</td> <td>So₂</td> <td></td> </tr> <tr> <td>B</td> <td>Nox</td> <td></td> </tr> <tr> <td>C</td> <td>HC</td> <td></td> </tr> <tr> <td>D</td> <td>Particulate Matters</td> <td>D</td> </tr> </table>	A	So ₂		B	Nox		C	HC		D	Particulate Matters	D			
A	So ₂															
B	Nox															
C	HC															
D	Particulate Matters	D														
4	<p>The present Environmental Protection Act was passed in the parliament in the year:</p> <table border="1"> <tr> <td>A</td> <td>1986</td> <td>A</td> </tr> <tr> <td>B</td> <td>1992</td> <td></td> </tr> <tr> <td>C</td> <td>1977</td> <td></td> </tr> <tr> <td>D</td> <td>1981</td> <td></td> </tr> </table>	A	1986	A	B	1992		C	1977		D	1981				
A	1986	A														
B	1992															
C	1977															
D	1981															
5	<p>As per EP Rules maximum allowable General Standards for BOD for discharge of environmental pollutants(effluent) in inland surface water is:</p> <table border="1"> <tr> <td>A</td> <td>40 mg/l</td> <td></td> </tr> <tr> <td>B</td> <td>20 mg/l</td> <td></td> </tr> <tr> <td>C</td> <td>30 mg/l</td> <td>C</td> </tr> <tr> <td>D</td> <td>10 mg/l</td> <td></td> </tr> </table>	A	40 mg/l		B	20 mg/l		C	30 mg/l	C	D	10 mg/l				
A	40 mg/l															
B	20 mg/l															
C	30 mg/l	C														
D	10 mg/l															